

Another efficient and affordable ACT! Add-On by

e^xponencial

Automatic Data Entry from Table

v.6.0

for ACT! 2008 and up

<http://www.exponencial.com>

Table of content

Purpose of the add-on	3
Installation procedure	3
How it works	3
Creating a scheme	4
Identical Reference Values	6
Activating/Deactivating a scheme	7
Sharing your settings over a network	7
Sharing your settings in a synchronization environment	7
Importing Data from Excel (or a comma-delimited file)	8
Note on checkboxes (Yes/No fields).....	10
Registering your product	10
Support	10

Purpose of the add-on

Automatic Data Entry from Table is an add-on that allows you to automatically fill multiple fields based on the value contain in a reference field. The values used to automatically fill the “target” fields are contained in a table.

Installation procedure

Download the program file from our [download page](#) and double-click it to start the installation.

Note: add-ons are now DLL files and not executable files. This means that they are automatically initialized by ACT! when placed in ACT! plugin folder (a subfolder of the main ACT! directory) and cannot be started from the Windows Start menu anymore. This is why you are not given a choice of installation directory during the installation process.

How it works

Here is an example. You have a field called Territory and three other fields (Outside Sales Rep, Inside Sales Rep and Time zone) which values are directly tied to the Territory field. The idea of the add-on is to have you create a table with all the possible values for the Territory field and for the other 3 fields and thereafter have the add-on pick the values from this table to automatically update the 3 fields whenever the Territory field is updated.

The first column is the reference field

The other fields will be automatically updated based on the content of the reference field

Territory	Outside Sales Rep	Inside Sales Rep	Time zone
Chicago	Bob Johnson	Bernie Nichols	Central
Los Angeles	Lucy Wynn	Chris Mackay	Pacific
New York	Jack Stew	Lilian Cartwright	Eastern


You just create a table like the one shown above where the first column contains the reference values. The other columns contain the values you want copied to the other fields.

The Territory field is the *Reference field*. The 3 other fields are the *Target fields*.


Once the add-on is properly setup, every time a user changes the value of the Territory field, Automatic Data Entry will detect the change, evaluate the value of the Territory field and if it matches the new value with one of the values in the first column (the match is not case-sensitive), it will automatically update the target fields.

Creating a scheme


The first step is to create a scheme. For this, click the button on your toolbar that was added by the installation process.



In the main window of the program, click the *Add...* button to start the creation wizard.




In the first screen of the wizard, you need to select the reference field and the target fields.




NOTE: You can add up to 20 target fields.

Click Next, to get to the table view.



The screenshot shows the "Calculation Series Wizard" dialog box, specifically the "Table" step. The dialog has a title bar with a close button. Below the title bar, the word "Table" is displayed in bold. A descriptive text block states: "The first column is the reference field and should contain the reference values. The others are the target fields and should contain the values you want copied to the target fields when the reference field contains the reference value." Below this text is a table with four columns: "Territory", "Outside Sales Rep", "Inside Sales Rep", and "Time zone". The table has multiple empty rows. To the right of the table are four buttons: "Add...", "Edit...", "Delete", and "Import". At the bottom of the dialog are three buttons: "< Previous", "Save", and "Cancel".

To add a row, simply click the Add... button and type the values in the Data Input window.



The screenshot shows the "Data input" dialog box. It has a title bar with a close button. The dialog is divided into two sections. The first section is labeled "Reference Value:" and contains a text input field with the word "Territory" in red and the word "Chicago" in black. To the right of this field are "OK" and "Cancel" buttons. The second section is labeled "Target Fields:" and contains three text input fields. The first is labeled "Outside Sales Rep" and contains "Bob Johnson". The second is labeled "Inside Sales Rep" and contains "Bernie Nichols". The third is labeled "Time zone" and contains "Central".

NOTE: The reference field value is not case-sensitive.

Once you are done entering data, click Save to save your scheme.


Identical Reference Values

In case you enter a reference value more than once, the user will be prompted to choose from the different target fields value sets.

For instance, let's say you enter twice New York as territory with different target field values.




When the territory value is changed to New York, the following prompt will appear to the user:



The user will have to double-click the entry of its choice or select it and click OK.

Activating/Deactivating a scheme

By default a new scheme is automatically activated, which means that once you exit Automatic Data Entry – Table, the program will start monitoring any change in the reference field. But whenever you want to de-activate a scheme, simply uncheck it in the main window.



Checked schemes are activated. Uncheck schemes are de-activated.

Sharing your settings over a network

By default, the data is saved in an settings file by the name of your database with an .ini extension located at C:\Program Files\ACT\Act for Windows\Plugins\Exponencial\Automatic Data Entry – Table.

If you have multiple users on a network, you may want to share the schemes among all users so that you do not have to recreate them on each machine. To share the settings with all users, go to the *Options > Preferences* menu and select a folder accessible to all users under *Data Folder*. If you already have created schemes, look for the settings file at the default location and move it to the folder you just selected.

Then adjust the data folder location on all machines so that everyone looks at the same settings file.

Sharing your settings in a synchronization environment

If you are installing to a computer that does not directly access the main database but rather a satellite database that you synchronize to the main database, you may want to place the data folder inside a folder that gets synchronized and reference that folder on the synchronized machine under *Options > Preferences* as described above.

Note on checkboxes (Yes/No fields)

When reading or writing the value of a checkbox (Yes/No field), use True and False and not Yes and No.

Registering your product

To continue using this product past the trial period, please buy a license at www.exponenciel.com. Licenses are issued for one ACT! username and will only work for that username.

Once you get a license code, either click the Register now button of the nag screen or go to the *Help* > *About* menu and once the *About* window opens, type the registration code in the appropriate box and click OK. You might need to close and restart ACT! to complete the registration process.

Support

For support, contact support@exponenciel.com.